Subject Index

Volume 30, 1986

Contributor index on page 700.

Abscess, subareolar of breast, FNAC, 413
Acquired immune deficiency syndrome (AIDS)
Cytology and pathology, 599
Lymph node touch preparation in diagnosis, 695
Acridine orange (AO), DNA cytophotometry of thyroid specimens, 579
Actinomyces, in cervical smears of IUD users, 367
Adenocarcinoma
Bartholin's gland, cytodiagnosis, 491
Breast, FCM DNA analysis, prognostic value, 579
Cervical *in situ*, cytologic features, 584
Distinction in effusions, quantitative EM study of nuclei, 379
Endocervical
Cytomorphology and histopathology, 115
Morphometric analysis of cells, 127
Endometrial, factors determining degree of exfoliation, 623
Metastatic in effusions, immunohistochemical differentiation, 568
Ovarian with peritoneal effusions, lectin binding in, 587
Prostatic metastatic to lung, FNAC with immunoperoxidase confirmation, 497
Vaginal primary, morphometric study, 323
Adenoma
Nephrogenic of bladder, cytology, 35, 41
Parathyroid, FNAC, 65
American Society of Cytology, Abstracts, 34th Annual Scientific Meeting, 567
Amniotic fluid embolism, cytodiagnosis, 177
Amyloidosis, primary unilateral, FNAB, 55
Antibodies
Human milk fat globule (HMFG), detection of metastatic carcinoma in effusions, 245
Monoclonal (MAb)
Blood isoantigens in epithelial cells, demonstration of CIN progression, 461
Cervical carcinoma antigen recognition, development, 207
Cervical neoplastic cells, including HPV-associated CIN, 576
CNS cytologic specimens, 577
ER assay in breast FN aspirates, 588
Gastrointestinal-specific, clinical value in cytologic material, 577
GFAP, immunocytochemical study of CSF, 235
Intermediate filaments
Differential diagnosis of lymph node FN aspirates, 225
Typing of tumor cells in FN aspirates, 214
Anticoagulant overdose, megakaryocytes in hemorrhagic pleural effusion caused by, 163
Antigens (*see also* antibodies, staining, CEA, EMA, etc.)
Human cervical carcinoma, development of MAbs that recognize, 207
Human milk fat globule (HMFG), detection of metastatic carcinoma in effusions, 245
Appendix, malignant mucocele with pseudomyxoma peritonei, 169
Asbestos bodies (ABs), in FN aspirates, significance, 555
Ascitic fluid, cytologic features in ovarian metastatic malignant mixed mesodermal tumor, 173
Aspirates, fine needle
Breast, image analysis diagnosis of malignancy, 581
Breast carcinoma, ER MAb assay, 588
Lymph nodes, MAb intermediate filament differential diagnosis, 225
Mesothelial cells in, 452
Pulmonary, significance of ABs in, 555
Thyroid, unusual findings, 571
Thyroid Hürthle-cell neoplasms, differentiation of types, 590
Tumor cells in, MAb intermediate filament typing, 214
Aspiration biopsy/cytology/cytopathology, fine needle (FNA, FNAB, FNAC, FNABC, ABC), 671
Adult rhabdomyoma, 679
Anaplastic sacrococcygeal chordoma, 183
Breast
Diploid cancer, accuracy of blind cytodiagnosis, 505
FCM DNA analysis, 578
Gynecomastia, 589
Masses, triage role, 588
Metastases, 573
Minimal cancer, 501
Pleomorphic MFH due to radiation, 48
Secretory carcinoma, 309
Subareolar abscess, cytomorphologic spectrum and pit-

0001-5547/86/3006-0704/$02.00/0 © The International Academy of Cytology

Subject Index

Volume 30, 1986

Contributor index on page 700.

Abscess, subareolar of breast, FNAC, 413
Acquired immune deficiency syndrome (AIDS)
Cytology and pathology, 599
Lymph node touch preparation in diagnosis, 695
Acridine orange (AO), DNA cytophotometry of thyroid specimens, 579
Actinomyces, in cervical smears of IUD users, 367
Adenocarcinoma
Bartholin's gland, cytodiagnosis, 491
Breast, FCM DNA analysis, prognostic value, 579
Cervical *in situ*, cytologic features, 584
Distinction in effusions, quantitative EM study of nuclei, 379
Endocervical
Cytomorphology and histopathology, 115
Morphometric analysis of cells, 127
Endometrial, factors determining degree of exfoliation, 623
Metastatic in effusions, immunohistochemical differentiation, 568
Ovarian with peritoneal effusions, lectin binding in, 587
Prostatic metastatic to lung, FNAC with immunoperoxidase confirmation, 497
Vaginal primary, morphometric study, 323
Adenoma
Nephrogenic of bladder, cytology, 35, 41
Parathyroid, FNAC, 65
American Society of Cytology, Abstracts, 34th Annual Scientific Meeting, 567
Amniotic fluid embolism, cytodiagnosis, 177
Amyloidosis, primary unilateral, FNAB, 55
Antibodies
Human milk fat globule (HMFG), detection of metastatic carcinoma in effusions, 245
Monoclonal (MAb)
Blood isoantigens in epithelial cells, demonstration of CIN progression, 461
Cervical carcinoma antigen recognition, development, 207
Cervical neoplastic cells, including HPV-associated CIN, 576
CNS cytologic specimens, 577
ER assay in breast FN aspirates, 588
Gastrointestinal-specific, clinical value in cytologic material, 577
GFAP, immunocytochemical study of CSF, 235
Intermediate filaments
Differential diagnosis of lymph node FN aspirates, 225
Typing of tumor cells in FN aspirates, 214
Anticoagulant overdose, megakaryocytes in hemorrhagic pleural effusion caused by, 163
Antigens (*see also* antibodies, staining, CEA, EMA, etc.)
Human cervical carcinoma, development of MAbs that recognize, 207
Human milk fat globule (HMFG), detection of metastatic carcinoma in effusions, 245
Appendix, malignant mucocele with pseudomyxoma peritonei, 169
Asbestos bodies (ABs), in FN aspirates, significance, 555
Ascitic fluid, cytologic features in ovarian metastatic malignant mixed mesodermal tumor, 173
Aspirates, fine needle
Breast, image analysis diagnosis of malignancy, 581
Breast carcinoma, ER MAb assay, 588
Lymph nodes, MAb intermediate filament differential diagnosis, 225
Mesothelial cells in, 452
Pulmonary, significance of ABs in, 555
Thyroid, unusual findings, 571
Thyroid Hürthle-cell neoplasms, differentiation of types, 590
Tumor cells in, MAb intermediate filament typing, 214
Aspiration biopsy/cytology/cytopathology, fine needle (FNA, FNAB, FNAC, FNABC, ABC), 671
Adult rhabdomyoma, 679
Anaplastic sacrococcygeal chordoma, 183
Breast
Diploid cancer, accuracy of blind cytodiagnosis, 505
FCM DNA analysis, 578
Gynecomastia, 589
Masses, triage role, 588
Metastases, 573
Minimal cancer, 501
Pleomorphic MFH due to radiation, 48
Secretory carcinoma, 309
Subareolar abscess, cytomorphologic spectrum and pit-

0001-5547/86/3006-0704/$02.00/0 © The International Academy of Cytology

falls, 413
CNS, intraoperative cytopathology, 586, 596
Diagnosis of occupational disease, 453
Endometriosis of rectovaginal septum, 313
Epithelioid soft-tissue hemangioendothelioma, 194
Ewing's sarcoma, 513
Extraskeletal, 552, 683
Eye lid, sebaceous carcinoma, 91
Filter imprint technique, 75
Gynecologic malignancies, role in management, 59
Head and neck, palpable lesions, 572
Hepatoblastoma, 439
Hepatocellular carcinoma, morphologic spectrum, 294
Histologic preparation of part of aspirate, 397, 403
Inflamed branchial cyst, potential pitfall, 201
Liver, focal lesions, with both cytologic and histologic preparations, 397
Lung
Atypical carcinoid, 594
Coccidioidomycosis, 420
Dermatofibrosarcoma protuberans metastases, 507
Hodgkin's disease, 594
Sarcoma metastases, 688
Lymph nodes, diagnosis of Hansen's disease (leprosy), 189
Lymphatic glands in sleeping sickness, historical note, 451
Lymphoma, value for cytogenetic and molecular studies, 574
Mediastinal embryonal carcinoma and choriocarcinoma, 543
Metastatic malignant rhabdoid tumor, 533
Metastatic melanoma, morphologic analysis, 385
Ovarian small-cell carcinoma, 589
Pancreas, 583
Cyst fluid, 584
Papillary tumor, 523
Solid and papillary epithelial neoplasm, 519
Parathyroid adenoma, 65
Parotid lesions, 590
Pediatric patients (*see* Wilms' tumor)
Pharyngeal rhabdomyoma, 528
Pleomorphic giant-cell carcinoma of pancreas, with EM study, 430
Primary amyloidosis presenting as unilateral hilar mass, 55
Processing of samples, 397, 403, 409
Prostate
Adenocarcinoma metastases in lung, immunoperoxidase confirmation, 497
Comparison with core needle biopsy, 592
Implementation in university teaching environment, 591
Sarcoidosis, 595
Sclerosing hemangioma of lung, 51
Soft-tissue lesions, 671
Spinal cord hemangioblastoma, 303
Subcutaneous phaeohyphomycosis induced by *P verrucosa*, 425
Syringe device for, 82
Thyroid
High-resolution DNA analysis, 580
Lesions, 589, 590
Metastases, 573
Neoplasms, infarction following, 591
Nodules in cancer patients, 572
Papillary carcinoma
Diagnosis complicated by coexistent disease, 435
Step-wise logistic regression analysis, 285
Tuberculosis of lumbar vertebrae, 538
Use of cell button for minibiopsies, 403
Well-differentiated sclerosing liposarcoma, 596
Wilms' tumor, cytology and FCM DNA analysis, 579
preoperative, 125
Asteroid bodies, lung touch preparation, 556

Bartholin's gland adenocarcinoma, cytodiagnosis, 491
Bile cytology, in diagnosis of sclerosing cholangitis and cholangiocarcinoma, 92
Bladder, urinary
Carcinoma *in situ*
Clinical and cytologic patterns and stromal changes, 360
Cystoscopic biopsy supernate cytology, 356
Nephrogenic adenoma, cytology, 35, 41
Bladder washings, FCM DNA analysis, comparison with cytology, 580
Body fluids, cytology, study of mitotic rate in, 585
Bone
Anaplastic sacrococcygeal chordoma, FNAC and embryonal considerations, 183
Chordoma, FNA cytopathology, 593
Ewing's sarcoma, FNAC, 513
Lesions
FNAC, 593
Intraoperative imprint cytology, 592
Book reviews
Advances in Clinical Cytology: Volume 2, 455
Aspiration Biopsy: Cytologic Interpretation and Histologic Bases, 455
Atlas de Cytologie: Tome I, 458
Citopatología Ginecológica, 566
Computer-Assisted Image-Analysis Cytology, 456
Fine Needle Aspiration Cytodiagnosis: A Color Atlas, 457
Gastro-Esophageal Cytology, 457
Practical Aspiration Cytology, 457
Breast
Adenocarcinoma, FCM DNA analysis, prognostic value, 579
Benign cyst fluids, intracytoplasmic eosinophilic inclusion bodies, 45
Cancer
Carcinomatous meningitis as initial presentation, 25
Diploid, accuracy of blind cytodiagnosis in FN aspirates, 505
Male, cytologic diagnosis, 21
"Minimal," FNAC, 501
Significance of nipple discharge patterns, 17
Carcinoma, ER MAb assay on FN aspirates, 588
FNA specimens

FCM DNA analysis, 578
Image analysis diagnosis of malignancy, 581
FNA triage role, 588
Gynecomastia, FNAB and pitfalls, 589
Malignant fibrous histiocytoma, postradiation pleomorphic, 48
Metastatic malignancies, FNA cytopathology, 573
Secretory carcinoma, FNAB, 309
Subareolar abscess, FNAC, 413
Tumors, preoperative aspiration cytology, 135
Bronchoalveolar lavage fluid, lymphocyte subpopulations in, immunogold staining for measurements, 152
Brushing cytology, gastric, bizarre atypia associated with chemotherapy, 347

Cancer
Breast
Carcinomatous meningitis as initial presentation, 25
Diploid, accuracy of blind cytodiagnosis in FN aspirates, 505
Male, cytologic diagnosis, 21
"Minimal," FNAC, 501
Significance of nipple discharge patterns, 17
Endometrial
Markers of in postmenopausal smears, 628
Screening sampling techniques, 319
Lung, improved sputum cytology detection via neostigmine induction, 547
Cancer patients, postmenopausal, cytohormonal status, 93
Cancer screening
Cervical cancer
Adequacy of smears without endocervical cells, 258
Combined spatula and Cytobrush sampling, 264
Cytobrush versus cotton swab in collection of endocervical cells, 261
Influence of sample takers on cellular composition of smears, 251
Reporting benign smears that lack endocervical cells, 317
Endometrial cancer, sampling techniques, 319
Candida, cytodiagnosis in cervical smears, 477
Carcinoembryonic antigen (CEA)
Immunocytochemical staining on cytologic smears, 88
Serous effusions, immunohistochemistry, 586
Staining in effusions, differentiation of hyperplasia, mesothelioma and adenocarcinoma, 568
Carcinoid, atypical of lung, FNAC, 594
Carcinoma
Breast, ER MAb assay on FN aspirates, 588
Bronchioloalveolar
Cause of pericardial effusion and cardiac tamponade, 657
Cytodiagnosis, 569
Cytomorphologic distinction of types, 84
FNAC distinction from sclerosing hemangioma, 51
Mucin-producing, PTAH staining, 643
Presenting with meningeal carcinomatosis, cytologic diagnosis in CSF, 653
Bronchogenic, posttherapeutic cytologic monitoring, 351
Cervical
Invasive with previous negative cytology, 318
MAbs recognizing antigens of, 207
Endometrial, cervical cytologic detection, influence of grade and stage, 616
Hepatocellular
FNA diagnosis, 574
Morphologic spectrum in FNAB, 294
Lung, malignant pericardial effusion and cardiac tamponade, 657
Metastatic sebaceous, FNAC, 91
Metastatic with effusions, evaluation with HMFG antigen, 245
Neuroendocrine
Cervical cytomorphology, 584
Psammoma bodies in, 570
With pleural effusion, cytomorphology and marker expression, 99
Occult epidermoid of esophagus, with concurrent squamous papilloma, 487
Ovarian small-cell, FNA findings, 589
Papillary thyroid
Coexistent disease complicating FNA diagnosis, 435
Step-wise analysis in FN aspirates, 285
Pleomorphic giant-cell of pancreas, FNA with EM study, 430
Primary embryonal of mediastinum, FNAB, 543
Secretory of breast, FNAB, 309
Small-cell of lung, CSF cytology diagnosis of meningeal carcinomatosis, 648
Thyroid, cytopathology of metastatic, 591
Urothelial *in situ*
Clinical and cytologic patterns and stromal changes, 360
Cystoscopic biopsy supernate cytology, 356
Carcinomatosis
Leptomeningeal presenting as eosinophilic meningitis, 29
Meningeal
From bronchioloalveolar carcinoma, cytologic diagnosis in CSF, 653
From small-cell carcinoma of lung, observer variability in CSF cytology diagnosis, 648
Initial manifestation of breast cancer, 25
CAS-100, high-resolution DNA analysis system, use in thyroid FNAB specimens, 580
Castleman's disease, plasma-cell type, CSF cytodiagnosis of CNS involvement, 481
Cells
Cervical
HPV-infected, screening with biotinylated DNA probes, 603
In CIN, including HPV and *Chlamydia*, MAb staining, 576
Endocervical columnar
Combined spatula and Cytobrush sampling, 264
Cytobrush versus cotton swab in

collection for cervical smears, 261
Marker of quality of cervical smears, 251, 258
Reporting benign smears that lack, 317
Epithelial exfoliated, loss of blood isoantigens during CIN progression, 461
Fragments in cytologic preparations, association with physiologic and pathologic conditions, 575
Giant in lung touch preparation, asteroid bodies in, 556
Malignant epithelial in effusions, intermediate filament labeling for FCM analysis, 597
Mesothelial in FN aspirates, 452
Neoplastic in serous effusions, S-100 protein as marker of melanoma, 240
Pleural fluid, distinguished by immunoperoxidase staining, 587
Tumor in FN aspirates, MAb intermediate filament typing, 214
Tumor in FN aspirates of lymph nodes, MAb intermediate filament differential diagnosis, 225
Central nervous system (CNS)
Castleman's disease involvement, CSF cytodiagnosis, 481
Cytologic specimens, application of panel of MAbs, 577
Hemangioblastoma, FNAC with EM and immunocytochemical studies, 303
Intraoperative FNAB, cytopathology, 596
Cerebrospinal fluid (CSF)
Carcinomatosis
Breast cancer initial manifestation, 25
Bronchoalveolar carcinoma, cytodiagnosis, 653
Small-cell lung cancer, variability of cytologic diagnosis, 648
Cytodiagnosis of CNS involvement in Castleman's disease, 481
Eosinophilia
Children with implanted shunts, 277
Presentation of leptomeningeal carcinomatosis, 29
MAb study of GFAP in, 235
Cervicitis, HPV and chlamydial, MAb staining of exfoliated cells, 576
Cervix, uterine (*see also* endocervix, ectocervix)
Adenocarcinoma *in situ*, cytologic features, 584
Borderline lesions, DNA-cytometric diagnosis of prospective malignancy, 608
Candida infections, demonstration in smears, 477
Carcinoma, MAbs recognizing antigens of, 207
CIN with condylomatous features, cytologic detection, 585
Dysplasia, moderate, prognostic studies in routine smears, 581
Electrocoagulation changes versus viral changes, 203
Epithelial maturation, immunocytochemical 24K protein marker of, 576
Exfoliated cells, loss of blood isoantigens during CIN progression, 461
HPV-associated lesions, interpretation and treatment, 445
HPV infections
Relation of type to development of neoplasia, 567
Screening with biotinylated DNA probes, 603
Invasive carcinoma, previous negative cytologies in, 318
Malacoplakia, cytology, histology and EM, 281
Mouse, virus-induced neoplasia, 567
Neoplasia, including HPV-associated CIN, MAb staining of exfoliated cells, 576
Neuroendocrine carcinoma
Cytomorphology, 584
Psammoma bodies in, 570
Smears
Actinomyces infection in IUD users, 367
Benign without endocervical cells, reporting, 317
Combined spatula and Cytobrush sampling, 264
Cytobrush versus cotton swab in collection of endocervical cells, 261
Endocervical cells as marker of adequacy, 258
Influence of sample takers on cellular composition, 251
Chemotherapy, hepatic arterial infusion, bizarre atypia in gastric brushings, 347
Chlamydia
Associated with CIN, MAb staining of exfoliated cells, 576
Infantile conjunctivitis, Papanicolaou, Giemsa and immunoperoxidase staining, 341
Cholangiocarcinoma and cholangitis, bile cytology in diagnosis, 92
Chordoma
Anaplastic sacrococcygeal, FNAC and embryonal considerations, 183
Bone, FNA cytopathology, 593
Choriocarcinoma, mediastinal, FNAB, 543
Coccidioidomycosis, pulmonary, FNAB identification, 420
Coding, numeric, cytodiagnoses in computerized laboratory, impact on productivity, 597
Computerization, cytopathologic
Natural language reporting of diagnoses, 598
Numeric coding of diagnoses, impact on productivity, 597
Condylomas
Features of in CIN, cytologic detection, 585
Genital, ploidy changes due to HPV DNA, 568
Conjunctivitis, infantile chlamydial, Papanicolaou, Giemsa and immunoperoxidase staining, 341
Cryptococcus, UV fluorescence in Papanicolaou-stained smears, 549
Curschmann's spirals, in pleural and peritoneal fluids, 147
Cyclosporine, treatment of allograft recipients, increased leukocyturia, 578
Cyst
Benign breast, intracytoplasmic eosinophilic inclusion bodies in fluid, 45

Inflamed branchial, FNAC pitfall, 201
Pancreatic, FNA cytopathology, 584
Phaeomycotic, FNA findings, 425
Cystoscopic biopsy supernate, cytodiagnosis of urothelial carcinoma *in situ*, 356
Cytobrush
Combined use with spatula in making cervical smears, 264
Use in making cervical smears, efficiency of endocervical cell collection, 261
Cytocentrifugation, disc plate for simultaneous preparation of several small samples, 447
Cytodiagnosis
Amniotic fluid embolism, 177
Bartholin's gland adenocarcinoma, 491
Candida organisms in cervical smears, 477
CSF, of CNS involvement in Castleman's disease, 481
Diploid breast cancer in aspirates, accuracy, 505
Florid peritoneal endosalpingiosis, 494
Male breast cancer with nipple discharge, 21
Meningeal carcinomatosis
Bronchioloalveolar carcinoma with presentation in CSF, 653
Lung cancer, interobserver and intraobserver variability, 648
Natural language reporting system, 598
Numeric coding in computerized laboratory, impact on productivity, 597
Peritoneal washings, Müllerian inclusions as potential source of error, 271
Primary malignant lymphoma of heart, 662
Squamous papilloma of esophagus, with concurrent occult epidermoid carcinoma, 487
Cytogenetic studies, lymphoma, value of FNA, 574
Cytohormonal status of postmenopausal cancer patients, comparison with age-matched controls, 93
Cytologic detection, *P carinii*
Papanicolaou-stained preparations, morphologic criteria, 80
Sputum specimens, use of Papanicolaou stain and UV light, 79
Cytology
AIDS, 599
Bladder washings, comparison with FCM DNA analysis, 580
Cervical, detection of endometrial carcinoma, influencing factors, 616
Cervical adenocarcinoma *in situ*, 584
Gynecologic diagnostic, state of the art, 582
Laboratory, implementation of quality assurance, 583
Multiple myeloma, diagnostic role and prognostic significance, 334
Negative previous in patients with invasive cervical carcinoma, 318
Nephrogenic adenoma of bladder, 35, 41
Nongynecologic diagnostic, voluntary self-assessment of results, 582
Proficiency testing, analysis of 14 years of, 633
Pulmonary, posttherapeutic monitoring of lung cancer patients, 351
Role of immunoperoxidase staining, 1
Urothelial carcinoma *in situ*, 360
Veterinary, 575
Cytolysis in postmenopausal vaginal smears, marker of endometrial cancer, diabetes and obesity, 628
Cytometry (*see* DNA cytometry)
Cytomorphology
Early endocervical glandular neoplasia, 115
Malignant neuroendocrine cells in pleural effusion, 99
Neuroendocrine carcinoma of cervix, 584
Cytopathology
Malignant pleural effusions, comparison with needle biopsies, 586
Metastatic thyroid carcinoma, 591
Cytophotometry, AO DNA analysis of thyroid specimens, 579
Cytopreparation
Centrifugal disc plate for small samples, 447
Effusions, centrifugation for EM studies, 70
FN aspirates, filter imprint technique, 75
Preparation of multiple slides from single smear for immunoperoxidase staining, 446
Cytotechnology Award of IAC, awardees for 1984–1986, 565

Dermatofibrosarcoma protuberans, lung metastases, FNAC, 507
Detached ciliary tufts (DCTs) in Pouch of Douglas fluid, 442
Detection, endometrial carcinoma, influence of grade and stage on cervical cytologic, 616
Diatex compound, use in preparation of multiple slides from single smear for immunoperoxidase staining, 446
Disease
Castleman's, plasma-cell type, CSF cytodiagnosis of CNS involvement, 481
Hansen's, diagnosis by FNAB of lymph nodes, 189
Hodgkin's of lung, FNAC, 594
Occupational, FNAC, 453
Pott's, FNAC, 538
DNA
AO cytophotometry, thyroid specimens, 579
CAS-100 analysis system, use in thyroid FNAB specimens, 580
FCM analysis
Bladder washings, comparison with cytology, 580
Breast adenocarcinoma, prognostic value, 579
Breast FNA specimens, 578
Wilms' tumor, 579
HPV, cause of ploidy changes in condylomas, 568
HPV in cervical cells, screening with biotinylated probes, 603
DNA cytometry
Borderline cervical lesions, diagno-

sis of prospective malignancy, 608
Microcomputer-based system, clinical applications, 372
Dysplasia
Cervical, prognostic studies in routine smears, 581
Endocervical glandular, 570

Editorial, cytology and histology of AIDS, 599
Effusions (*see also* body fluids, fluids)
Cytocentrifugation for EM studies, 70
Malignant
Immunocytochemical studies, 569
Intermediate filament labeling for FCM analysis, 597
Mesothelial and adenocarcinomatous, quantitative EM of cell nuclei, 379
Mesothelioma, hyperplasia and adenocarcinoma, immunohistochemical differentiation, 568
Pericardial, malignant from lung cancer, cardiac tamponade due to, 657
Peritoneal in ovarian adenocarcinoma, lectin binding and differentiation, 587
Pleural
Caused by anticoagulant overdose, megakaryocytes in, 163
Cytomorphology and marker expression of malignant neuroendocrine cells, 99
Malignant, comparison of cytopathology and needle biopsy, 586
Serous
Hyaluronic acid in smears of malignant, 90
Immunocytochemical diagnosis of epithelial malignancy, 586
S-100 protein as marker of melanoma, 240
Electrocoagulation, cervical, changes in cytologic specimens, contrast with viral changes, 203
Electron microscopy (EM)
Cervical malacoplakia, 281
Cytocentrifugation of effusions for, 70
Epithelioid soft-tissue hemangioendothelioma, 194
Mucin-producing bronchioloalveolar carcinoma, correspondence with PTAH-stained observations, 643
Pleomorphic giant-cell carcinoma of pancreas, 430
Quantitative, nuclei of cells in effusions, 379
Solid and epithelial neoplasm of pancreas, 519
Endocervix
Early glandular neoplasia
Histomorphology and cytomorphology, 115
Morphometric analysis of cells, 127
Glandular dysplasia, 570
Endometriosis, rectovaginal septum, FNAC diagnosis, 313
Endometrium
Adenocarcinoma/carcinoma, exfoliation of cells
Effect of grade and stage, 616
Factors influencing, 623
Cancer
Markers of in postmenopausal smears, 628
Screening sampling techniques, 319
Carcinoma, cervical cytologic detection, influence of grade and stage, 616
Endosalpingiosis, florid peritoneal, cytodiagnosis in peritoneal washings, 494
Endoscopic cytology
Diagnosis of gastroesophageal malignancy, 110
Neoplasms metastatic to upper GI tract, 32
Entamoeba, gingivalis versus *histolytica*, morphologic distinction, 82
Eosinophilia, CSF
Children with implanted shunts, 277
Presentation of leptomeningeal carcinomatosis, 29
Epithelial membrane antigen (EMA) in serous effusions, immunohistochemistry, 586
Epithelium, exfoliated cells, loss of blood isoantigens during CIN progression, 461
Esophagus
Malignancy, endoscopic cytologic diagnosis, 110
Squamous papilloma with concurrent occult epidermoid carcinoma, 487
Estrogen receptors (ER), breast carcinoma, MAb assay on FN aspirates, 588
Exfoliation
Endometrial adenocarcinoma, factors influencing, 623
Endometrial carcinoma, influence of grade and stage, 616

Female genital tract
Malignancies, role of FNAC in management, 59
Peritoneal washing cytology, 8
Filter imprint technique, value in processing FNABC samples, 75
Flow cytometry (FCM)
DNA analysis
Bladder washings, comparison with cytology, 580
Breast adenocarcinoma, prognostic value, 579
Breast FNA specimens, 578
Wilms' tumor, 579
Malignant effusions, intermediate filament labeling of epithelial cells, 597
Fluids (*see also* effusions)
Benign breast cysts, intracytoplasmic eosinophilic inclusion bodies, 45
Peritoneal in ovarian carcinoma, lectin binding and differentiation, 587
Pleural and peritoneal, Curschmann's spirals in, 147
Pleural, immunoperoxidase staining of cells, 587
Pleural, pericardial and peritoneal, evaluation of metastatic carcinomas with HMFG antigen, 245
Pouch of Douglas, DCTs in, 442
Fluorescence microscopy, recognition of *Pneumocystis* and *Cryptococcosis* in Papanicolaou-stained smears, 549
Fragments, cellular, significance in cytologic preparations, 575

Gastrointestinal tract
Brushing cytology, bizarre atypia associated with chemotherapy, 347
Cytologic specimens, value of MAb staining, 577
Malignancy, endoscopic cytologic diagnosis, 110
Metastatic neoplasms, endoscopic salvage cytology, 32
Glial fibrillary acidic protein (GFAP), MAb study in CSF specimens, 235
Goldblatt Cytology Award, awardees for 1984–1986, 564
Grade, histologic and cytologic, influence on cervical cytologic detection of endometrial carcinoma, 616
Gynecologic cytology, diagnostic, state of the art, 582
Gynecomastia, FNAB, 589

Hansen's disease (leprosy), diagnosis by FNAB of lymph nodes, 189
Head and neck, clinically palpable lesions, FNA diagnosis, 572
Heart
Cardiac tamponade, malignant pericardial effusion from lung cancer, 657
Primary malignant lymphoma, antemortem cytologic diagnosis, 662
Hemangioblastoma, spinal cord, FNAC with EM and immunocytochemical studies, 303
Hemangioendothelioma, epithelioid of soft tissue, FNAC, EM and immunohistochemistry, 194
Hemangioma, sclerosing of lung, FNAC, 51
Hepatoblastoma, FNAC, 439
Histiocytoma, malignant fibrous (MFH), postradiation pleomorphic of breast, 48
Histology, AIDS, 599
Hodgkin's disease, lung, FNAC, 594
Hyaluronic acid in smears of serous effusions from malignant mesotheliomas, 90
Hydrocephaly, pediatric, eosinophilia in CSF resulting from shunt implantation, 277
Hyperplasia, mesothelial in effusions, immunohistochemical differentiation, 568

Image analysis, high resolution
DNA measurements, thyroid FNAB specimens, 580
Malignancy diagnosis of breast FNA specimens, 581
Routine cervical smears, prognosis of moderate dysplasia, 581
Immunocytochemistry/immunohistochemistry
CEA on cytologic smears, 88
Effusions, differentiation of hyperplasia, mesothelioma and adenocarcinoma, 568
Epithelioid soft-tissue hemangioendothelioma, 194
Estrogen-regulated 24K protein, marker for cervical epithelial maturation, 576
GFAP in CSF specimens, 235
Serous effusions, diagnosis of epithelial malignancy, 586
Value in study of malignant effusions, 569
Immunogold staining, lymphocytes in lavage fluid for measurement of subpopulations, 152
Immunoperoxidase staining
Confirmation of prostatic origin of lung metastases in FN aspirates, 497
MAb staining of epithelial cells, demonstration of CIN progression, 461
Pleural fluid cells, 587
Preparation of multiple slides from single smear for, 446
Role in diagnostic cytology, 1
S-100 protein in neoplastic cells in effusions, marker of melanoma, 240
Imprint cytology, bone lesions, intraoperative evaluation, 592
Inclusion bodies
Intracytoplasmic eosinophilic, in benign breast cyst fluids, 45
Intranuclear, in urinary cytology specimens, 105
Inclusions, müllerian in peritoneal washings, potential source of error in cytodiagnosis, 271
Infarct, pulmonary, FNAC, 452

Intermediate filaments
Labeling of epithelial cells in effusions, FCM detection of malignancy, 597
MAb typing of tumor cells in FN aspirates, 214
In aspirates from lymph nodes, 225
International Academy of Cytology
Committee on Laboratory Certification, certified laboratories, 459
Executive Council and Committee, 1986–1989, 559
International Cytotechnology Award, awardees for 1984–1986, 565
Maurice Goldblatt Cytology Award, awardees for 1984–1986, 564
Intrauterine contraceptive devices, cervical smears from users, *Actinomyces* in, 367
Isoantigens, blood, loss in epithelial cells in CIN demonstrated by MAb staining, 461

Karyopyknosis in postmenopausal vaginal smears, marker of endometrial cancer, diabetes and obesity, 628
Keratin staining in effusions, differentiation of hyperplasia, mesothelioma and adenocarcinoma, 568
Kidney
Allograft recipients, leukocyturia following cyclosporine treatment, 578
Wilms' tumor, cytology and FCM DNA analysis, 579
Koilocytosis, features of in CIN, cytologic detection, 585

Laboratory
Computerized cytology
Cytopathology reporting using natural language, 598
Impact of numeric diagnosis coding on productivity, 597
Cytology, implementation of quality assurance, 583
Lectin, binding in peritoneal effusions from ovarian adenocarcinomas, 587
Leprosy, diagnosis by FNAB of lymph nodes, 189

Leptomeninges, carcinomatosis, presentation as eosinophilic meningitis, 29
Leukocyturia, renal allograft recipients treated with cyclosporine, 578
Liposarcoma, well-differentiated sclerosing, FNAC diagnosis, 596
Liver
  Focal lesions, FNAC with both cytologic and histologic preparations, 397
  Hepatoblastoma, FNAC, 439
  Hepatocellular carcinoma
    FNA diagnosis, 574
    Morphologic spectrum in FNAB, 294
Lung
  Atypical carcinoid, FNAC, 594
  Bronchioloalveolar carcinoma
    Cause of pericardial effusion and cardiac tamponade, 657
    Cytodiagnosis, 569
    Cytologic diagnosis of meningeal carcinomatosis in CSF, 653
    Cytomorphologic distinction of types, 684
    Mucin-producing, PTAH stain, 643
  Bronchogenic carcinoma, posttherapeutic cytologic monitoring of patients, 351
  Cancer detection by sputum cytology, improved rate with neostigmine induction, 547
  Carcinoma, malignant pericardial effusion and cardiac tamponade, 657
  Coccidioidomycosis, FNAB identification, 420
  FN aspirates, significance of ABs, 555
  Hodgkin's disease, FNAC, 594
  Lesions, diagnostic yield of biopsy and cytology samples, 595
  Metastatic dermatofibrosarcoma protuberans, FNAC, 507
  Metastatic prostatic adenocarcinoma, FNAC with immunoperoxidase confirmation, 497
  Metastatic sarcomas, FNAC, 688
  Reaction to air pollution, alveolar macrophage count as indicator, 157
  Sclerosing hemangioma, FNAC, 51
  Small-cell carcinoma, CSF cytology diagnosis of meningeal carcinomatosis, 648
  Touch preparation, asteroid bodies in, 556
Lymph nodes
  FN aspiration, MAb intermediate filament differential diagnosis, 225
  FNAB diagnosis of Hansen's disease (leprosy), 189
  Touch preparation in diagnosis of AIDS, 695
Lymphocytes, lavage fluid subpopulations, immunogold staining for measurements, 152
Lymphoma
  FNA, value for cytogenetic and molecular studies, 574
  Primary malignant of heart, antemortem cytologic diagnosis, 662

Macrophages, alveolar, indicator of lung reaction to industrial air pollution, 157
Malacoplakia, cervical, cytology, histology and EM, 281
Malignancies
  Borderline cervical lesions, DNA-cytometric diagnosis, 608
  Gastroesophageal, endoscopic cytologic diagnosis, 110
  Gynecologic, role of FNAC in management, 59
Markers
  Cervical dysplasia, prognostic studies in routine smears, 581
  Endometrial cancer, in postmenopausal vaginal smears, 628
  Malignant neuroendocrine cells, expression in effusions, 99
  Melanoma cells in serous effusions, S-100 protein as, 240
Mediastinum, primary embryonal carcinoma and choriocarcinoma, FNAB, 543
Megakaryocytes in hemorrhagic pleural effusion, caused by anticoagulant overdose, 163
Melanoma
  Cells in urinary sediment, with coexistent *W bancrofti* microfilariae, 696
  Metastatic, morphologic analysis in FNAB specimens, 385
  S-100 protein as marker, immunoperoxidase study of neoplastic cells in serous effusions, 240
Meninges, carcinomatosis
  Bronchioloalveolar carcinoma, cytologic diagnosis in CSF, 653
  Initial manifestation of breast cancer, 25
  Small-cell carcinoma, observer variability in CSF cytology diagnosis, 648
Meningitis, eosinophilic, presentation of leptomeningeal carcinomatosis, 29
Mesothelial hyperplasia, distinction in effusions, quantitative EM study of nuclei, 379
Mesothelioma
  Distinction in effusions, quantitative EM study of nuclei, 379
  Malignant in effusions, immunohistochemical differentiation, 568
Metastases
  Adenocarcinoma in effusions, distinction by EM study of nuclei, 379
  Carcinoma, in effusions, evaluation with HMFG antigen, 245
  Melanoma, morphologic analysis in FNAB specimens, 385
  Prostatic adenocarcinoma to lung, FNAC with immunoperoxidase confirmation, 497
  Sarcomas to lung, FNAC, 688
  To breast, FNA cytopathology, 573
  To thyroid, value of FNAC, 573
  To upper GI tract, endoscopic salvage cytology, 32
Microfilariae of *W bancrofti*, in urinary sediment with coexistent malignant melanoma cells, 696
Microliths in sputum, 87
MicroTICAS system, DNA cytometry, with clinical applications, 372
Minibiopsies, preparation from FN aspirates, 403
Mitosis, rate in body fluid specimens, significance in cytologic stu-

dy, 585
Monitoring, posttherapeutic
Microcomputer-based DNA-cytometry system used for, 372
Use of pulmonary cytology in lung cancer patients, 351
Morphology, metastatic melanoma in FNAB specimens, 385
Morphometry
Early endocervical glandular neoplasia, 127
Primary adenocarcinoma of vagina, 323
Mucocele, malignant appendiceal, with pseudomyxoma peritonei, 169
Myeloma, multiple, exfoliative cytology, diagnostic role and prognostic significance, 334

Neoplasia
Cervical intraepithelial
Associated with HPV infection, interpretation and treatment, 445
Loss of isoantigens in epithelial cells during progression, 461
Relation to HPV infections and type, 567
Virus-induced in mice, 567
With koilocytotic features, cytologic detection, 585
Early endocervical glandular
Histomorphology and cytomorphology, 115
Morphometric analysis of cells, 127
Neoplasms, malignant, role of immunoperoxidase staining, 1
Neostigmine-induced sputum production, improved lung cancer detection, 547
New York, proficiency testing in cytology, analysis of 14 years, 633
Nipple discharge
Clinical patterns, significance in selecting cases for cytologic examination, 17
Male breast cancer, cytologic diagnosis, 21

Ovary
Adenocarcinoma with peritoneal effusions, lectin binding in, 587
Metastatic malignant mixed mesodermal tumor, ascitic fluid cytology, 173
Second-look operations, peritoneal washing cytology, 571
Small-cell carcinoma, FNA findings, 589

Pancreas
Cysts and pseudocysts, FNA cytopathology, 584
FNA, 583
Papillary tumor, FNAC, 523
Pleomorphic giant-cell carcinoma, FNA with EM study, 430
Solid and papillary epithelial neoplasm, FNAC with EM studies, 519
Papanicolaou stain of *P carinii*
In cytologic preparations, morphologic criteria, 80
In sputum specimens, cytologic detection using UV light, 79
Papilloma
Esophageal squamous, with concurrent occult epidermoid carcinoma, 487
Inverted of renal pelvis, cytologic features of ureteral washings, 166
Pneumocystis and *Cryptococcus* organisms, UV fluorescence, 549
Papillomavirus, human (HPV)
Associated with CIN, MAb staining of exfoliated cells, 576
Cervical infections, relation of type to development of neoplasia, 567
Cervical lesions associated with, interpretation and treatment, 445
DNA responsible for ploidy changes, in genital condylomas, 568
Infection of cervical cells, screening with biotinylated probes, 603
Parathyroid, adenoma, FNAC, 65
Parotid, lesions, FNAC utility, 590
Pelvis, renal, inverted papilloma, cytologic features of ureteral washings, 166
Performance, cervical cancer screening
Adequacy of smears without endocervical cells, 258
Influence of sample takers, 251
Pericardium, fluids from metastatic carcinoma, evaluation with HMFG antigen, 245
Peritoneal washing cytology
Criteria and pitfalls, 8
Ovarian second-look operations, 571
Peritoneum
Endosalpingiosis, florid, cytodiagnosis in peritoneal washings, 494
Fluids from metastatic carcinoma, evaluation with HMFG antigen, 245
Müllerian inclusions in washings, potential source of error in cytodiagnosis, 271
Phaeohyphomycosis, subcutaneous, induced by *P verrucosa*, FNA findings, 425
Pharynx, rhabdomyoma, FNAC, 528
Phialophora verrucosa, subcutaneous phaeohyphomycosis, FNA findings, 425
Pleura
Fluids from metastatic carcinoma, evaluation with HMFG antigen, 245
Malignant effusions, comparison of cytopathology and needle biopsy, 586
Ploidy measurements
Genital condylomas, changes due to HPV DNA, 568
Microcomputer-based system for, 372
Pneumocystis carinii
Papanicolaou-stained preparations, morphologic criteria for identification, 80
Papanicolaou-stained sputum specimens, cytologic detection using UV light, 79
Recognition in Papanicolaou-stained smears, 549
Pollution, industrial air, alveolar macrophage count as indicator of lung reaction, 157
Pott's disease, FNAC, 538
Pouch of Douglas fluid, DCTs in, 442
Probes, biotinylated DNA, screening

for HPV in cervical cells, 603
Proficiency testing
Cytology in New York State, analysis of 14 years, 633
Gynecologic cytology, 582
Nongynecologic cytology, voluntary self-assessment of screening, 582
Prognostic studies (*see* DNA analysis)
Prostate
Adenocarcinoma metastatic to lung, FNAC with immunoperoxidase confirmation, 497
FNA, comparison with core needle biopsy, 592
FNAC, implementation in university teaching environment, 591
Psammoma bodies, neuroendocrine carcinoma of cervix, 570
Pseudomyxoma peritonei, with malignant mucocele of appendix, 169

Quality assurance (*see also* profiency testing)
Cytology laboratory implementation, 583
Quality control, cytologic and histologic diagnoses, microcomputer-based DNA-cytometry system used for, 372

Rectovaginal septum, endometriosis, FNAC diagnosis, 313
Regression analysis, step-wise logistic, FNA of papillary thyroid carcinoma, 285
Rhabdoid tumor, metastatic malignant, FNAC, 533
Rhabdomyoma
Adult, FNAC, 679
Pharyngeal, FNAC, 528

S-100 protein, marker of melanoma, immunoperoxidase study of neoplastic cells in serous effusions, 240
Sacrococcyx, anaplastic chordoma, FNAC and embryonal considerations, 183
Sarcoidosis, FNA, 595
Sarcoma
Alveolar soft-part of vagina, cytologic presentation, 665
Dermatofibrosarcoma protuberans, FNAC of lung metastases, 507
Ewing's
Extraskeletal, FNAC, 683
FNAC, 513
Skull, 552
FNAC, 671
Liposarcoma, well-differentiated sclerosing, FNAC diagnosis, 596
Malignant fibrous histiocytoma, postradiation pleomorphic of breast, 48
Malignant rhabdoid tumor, FNAC of metastases, 533
Metastatic to lung, FNAC, 688
Screening
Cytologic, proficiency testing, 633
Endometrial adenocarcinoma/carcinoma
Factors determining degree of exfoliation, 623
Influence of grade and stage on exfoliation, 616
HPV infections of cervix, use of biotinylated DNA probes, 603
Nongynecologic cytology, voluntary self-assessment of results, 582
Shunts, implanted for hydrocephaly, resultant CSF eosinophilia, 277
Skin
Dermatofibrosarcoma protuberans, FNAC of lung metastases, 507
Eyelid, sebaceous carcinoma, FNAC, 91
Skull, Ewing's sarcoma, FNA, 552
Sleeping sickness, FNA of lymph nodes, historical note, 451
Smears
Cervical
Actinomyces infection in IUD users, 367
Benign without endocervical cells, reporting, 317
Combined spatula and Cytobrush sampling, 264
Cytobrush versus cotton swab in collection of endocervical cells, 261
Cytodiagnosis of *Candida* organisms, 477
Detection of endometrial carcinoma, influence of grade and stage, 616
Influence of sample takers on cellular composition, 251
Cervical/Papanicolaou, endocervical cells as marker of adequacy, 258
Cervicovaginal, detection of endometrial adenocarcinoma, influencing factors, 623
Papanicolaou, prognostic studies of selected markers, 581
Vaginal
Alveolar soft-part sarcoma, 665
Markers in postmenopausal, for endometrial cancer, 628
Soft tissue (*see also* sarcoma, etc.)
Adult rhabdomyoma, FNAC, 679
Alveolar soft-part sarcoma of vagina, 665
Epithelioid hemangioendothelioma, FNAC, EM and immunohistochemistry, 194
Extraskeletal Ewing's sarcoma, FNAC, 683
FNAC, 671
Spinal cord, hemangioblastoma, FNAC with EM and immunocytochemical studies, 303
Sputum, unidentified bronchial objects, 87
Sputum cytology
Lung cancer detection, improved rate with neostigmine induction, 547
P carinii detection in Papanicolaou-stained smears, use of UV light, 79
Stage, clinical and postsurgical, influence on cervical cytologic detection of endometrial carcinoma, 616
Staining (*see also* antibodies and [immuno]cytochemistry and histochemistry)
Immunocytochemical, CEA on cytologic smears, 88
Immunogold, lymphocyte subpopulations in bronchoalveolar lavage fluid, 152
Immunoperoxidase
Confirmation of prostatic origin of metastases, 497
Pleural fluid cells, 587
Preparation of multiple slides from single smear, 446

Role in diagnostic cytology, 1
MAb immunoperoxidase, epithelial cells to show progression of CIN, 461
Papanicolaou, detection of *P carinii*, 80
Papanicolaou, Giemsa and immunoperoxidase in infantile chlamydial conjunctivitis, 341
Papanicolaou and UV light, detection of *P carinii* in sputum specimens, 79
PTAH, mucin-producing bronchioloalveolar-cell, 643

Tamponade, cardiac, with malignant pericardial effusion
From lung cancer, 657
From primary cardiac lymphoma, 662
Thyroid
AO DNA cytophotometry, 579
Carcinoma, cytopathology of metastatic, 591
FN aspirates, unusual findings, 571
FNAB specimens, high-resolution DNA analysis, 580
Hürthle-cell neoplasms, differentiation of types in FN aspirates, 590
Lesions
FNAB evaluation, 589
FNAC utility, 590
Metastatic malignancies, value of FNAC, 573
Neoplasms, infarction following FNAB, 591
Nodules in cancer patients, FNA evaluation, 572
Papillary carcinoma
Coexistent disease complicating FNA diagnosis, 435
Step-wise analysis in FN aspirates, 285
Tripanosomiasis, FNA of lymph nodes, historical note, 451
Tuberculosis, lumbar vertebrae, FNAC, 538
Tumor heterogeneity, DNA-cytometric assessment, microcomputer-based system for, 372
Tumors
Breast, preoperative aspiration cytology, 125
Germ-cell of mediastinum, FNAB, 543
Ovarian metastatic malignant mixed mesodermal, ascitic fluid cytology, 173
Papillary of pancreas, FNAC, 523

Ulcers, gastric, associated with chemotherapy, bizarre atypia in brushings, 347
Urinary cytology, intranuclear inclusions in, 105
Urinary sediment, metastatic malignant melanoma cells with coexistent *W bancrofti* microfilariae, 696
Urothelium, carcinoma *in situ*
Clinical and cytologic patterns and stromal changes, 360
Cystoscopic biopsy supernate cytology, 356

Vagina
Adenocarcinoma, primary, morphometric study, 323
Alveolar soft-part sarcoma, cytologic presentation, 665
Vertebrae, tuberculosis, FNAC, 538
Veterinary medicine
Cytologic preparations, significance of cellular fragments, 575
Cytology, 575
Vimentin, staining in effusions, differentiation of hyperplasia, mesothelioma and adenocarcinoma, 568
Virus (*see also* herpesvirus, papillomavirus)
Induced cervical changes, contrast with electrocoagulation changes, 203
Induction of cervical neoplasia in mice, 567
Vulva, Bartholin's gland adenocarcinoma, 491

Washing cytology, ureteral, inverted papilloma of renal pelvis, 166
Washings, peritoneal
Cytodiagnosis of endosalpingiosis, 494
Müllerian inclusions as potential source of error, 271
Wied, George L., laudatio, 321
Wilms' tumor, cytology and FCM DNA analysis, 579
Wuchereria bancrofti, microfilariae in urinary sediment coexistent with malignant melanoma cells, 696